



[Parts and Accessories](#) [Service and Repairs](#) [Resource Center](#) [Team NAPA](#)

Current Vehicle

[Change Vehicle](#)

Search Catalog

Keyword

GO
NAPA Part No.

GO
Non-NAPA Part No.

GO

[Right parts for the job](#)

[Job Type Search](#)

NAPA Locator

Enter Zip

- [Parts Store](#)
- [Repair Shop](#)
- [Collision Center](#)
- [Truck Center](#)

My Account

[Login](#)

[Create Account](#)



[Click here to apply for the](#)

[NAPA VISA® Card](#)



Material Safety Data Sheet (MSDS)

AE-183B Belt Dressing

MATERIAL SAFETY DATA SHEET

Effective Date: none

Revision Date: none

AE-183B Belt Dressing

Code: AJC

Page: 1

Section 1 - Product and Company Identification

PRODUCT NAME: AE-183B Belt Dressing

MANUFACTURER'S NAME:

American Jetway Corporation

EMERGENCY TELEPHONE NUMBER

(800) 424-9300

P.O. Box 126

Wayne, MI 48184

(313) 721-5930

MISCELLANEOUS INFORMATION

Section 2 - Hazardous Ingredients

HAZARDOUS COMPONENTS

(Specific Chemical Identity:

Common Name(s))

	PEL	OSHA TLV	ACGIH STEL	% Optional
Asphalt CAS# 8052-42-4			5mg/m3	10mg3 <50
Aliphatic Solvent CAS# 8052-42-3		100 ppm	100 ppm	200 >30
Isobutane CAS# 75-28-5		Unknown	800 ppm	N/A <20

Section 3 - Hazards Identification

ROUTE(S) OF ENTRY:

INHALATION: Yes

SKIN : Yes

INGESTION : Yes

HEALTH HAZARDS (Acute and Chronic): May cause dizziness or narcosis in high vapor concentrations. Will cause defatting of skin. Effects are reversible. Long term exposure (years) to vapor may cause lung, liver, or kidney damage. The solvents listed have been reported to affect the central nervous system.

CARCINOGENICITY:

NTP : N/A

IARC MONOGRAPHS: N/A

OSHA REG. : N/A

SIGNS AND SYMPTOMS OF EXPOSURE:

INHALATION: Difficulty in breathing.

SKIN : Redness

INGESTION : Vomiting

Headache, dizziness, skin irritation, dermatitis

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY OVEREXPOSURE:

Respiratory and skin conditions.

=====

MATERIAL SAFETY DATA SHEET
Effective Date: none
AE-183B Belt Dressing
Code: AJC

Revision Date: none

Page: 2

=====

Section 4 - First Aid Measures

EMERGENCY AND FIRST AID PROCEDURES:
Give oxygen-do not induce vomiting-gastric lavage-wash eyes and skin with water.

=====

Section 5 - Firefighting Measures

FLASH POINT (METHOD USED): -120 to 100F

FLAMMABLE LIMITS:

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA: Use water fog, dry chemical or carbon dioxide

SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters should wear NIOSH approved positive pressure self-contained breathing apparatus. Aerosol cans may rupture when heated.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Heated cans may burst.

=====

Section 6 - Environmental Release Measures

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Use absorbent sweeping compound to soak up material. Put into container. Dispose as hazardous waste.

=====

Section 7 - Handling and Storage

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Keep away from heat, sparks, or open flame. Store at temperature below 120 deg F.

OTHER PRECAUTIONS: Aerosol cans may burst from impact and or high temperatures.

=====

MATERIAL SAFETY DATA SHEET

Effective Date: none
AE-183B Belt Dressing
Code: AJC

Revision Date: none

Page: 3

=====

Section 8 - Exposure Controls/Personal Protection

RESPIRATORY PROTECTION (Specify Type): Self contained breathing apparatus if above TLV limits are exceeded.

VENTILATION:

LOCAL EXHAUST : Yes

MECHANICAL(General): None

SPECIAL : None

OTHER : None

PROTECTIVE GLOVES: None required if spraying.

EYE PROTECTION: Safety glasses or goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Long sleeves and long pants or coveralls.

WORK/HYGIENIC PRACTICES: Do not smoke while using. Wash hands after use. Wash thoroughly after use!!

=====

Section 9 - Physical and Chemical Properties

BOILING POINT RANGE : 10.90
 VAPOR PRESSURE PSIG @ 70F: 31
 VAPOR DENSITY(AIR=1)
 (Heavier than air) : Unknown
 SOLUBILITY IN WATER : NIL
 SPECIFIC GRAVITY(H2O=1) : .8269
 MELTING POINT-LIQUID : Unknown
 EVAPORATION RATE
 (Water=1) : Unknown
 APPEARANCE AND ODOR : Black liquid with characteristic odor

=====
 Section 10 - Stability and Reactivity

STABILITY: Stable
 CONDITIONS TO AVOID: N/A

INCOMPATIBILITY (Materials to Avoid): May attack some plastics and rubbers.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: None

HAZARDOUS POLYMERIZATION: Will not occur.
 CONDITIONS TO AVOID: N/A

=====
 Section 11 - Toxicological Information

Not available.

=====
 MATERIAL SAFETY DATA SHEET

Effective Date: none Revision Date: none
 AE-183B Belt Dressing
 Code: AJC Page: 4

=====
 Section 12 - Ecological Information

Not available.

=====
 Section 13 - Disposal Considerations

WASTE DISPOSAL METHOD: Dispose of waste in accordance with applicable federal, state and local requirements.

=====
 Section 14 - Transport Information

DOT SHIPPING: Consumer Commodity ORM-D

=====
 Section 15 - Regulatory Information

Not available.

=====
 Section 16 - Other Information

Not available.

[Return to previous page.](#)

[Return to top of page.](#)



[About NAPAonline](#) [Customer Support](#) [Privacy/Legal](#) [SiteMap](#)

©2002, National Automotive Parts Association
 This site is best viewed using [JavaScript-enabled](#) Internet Explorer Version 5.0 and above.

For best printing results, please use Internet Explorer.

