MATERIAL SAFETY DATA SHEET 4-6000 BLANKET FIX Section I - Product Identification Manufacturer's Name [Emergency Phone Number (24 Hours) A.B.DICK COMPANY [CHEMTREC @ (800)424-9300 -IMSDS Request Phone Number: |1-800-752-5139, Ext. 2745 Street Address 7400 CALDWELL AVENUE -|For MSDS via Fax: 1-800-995-0088 City, State, Zip Code |Date Prepared: February 2, 1995 NILES, ILLINOIS 60714 Product Use: BLANKET RESTORER |Prepared By: Kenneth W. Pinter Chemical Name, Trade Name, Synonyms: MIXTURE HMTS RATING 1 - Flammability 0 - Reactivity B - Personal Protection 3 - Health Section II - Hazardous Ingredients Exposure Limits | CAS NO. | % WT. | OSHA PEL ACGIR TLV OTHER Components | 75-09-1 | 90.0 | 25 ppm | 67-56-1 | 4.5 | 200 ppm Methylene Chloride 100 ppm 4.5 1 200 ppm 200 ppm Methanol 1.0 | 50 ppm Ammonia | 7664-41-7 | Section III - Physical Data Boiling POINT(F): 104 (METHYLENE CHLORIDE) | ph: N.A. Vapor Pressure(mm Hg): 4.28 |Freezing Point(F): N.D. Vapor Density (ATR = 1): 2.93 |% Volatile By Volume: 95 Specific Gravity (H2O=1): 1.2 [Color And Odor: Light Green/Ether Odor Threshold: N.D. |Physical State: Viscous Liquid Evaporation Rate (Butyl Acetate = 1): 0.7 Solubility in Water: 2.0g/100g Water Section IV - Fire and Explosion Hazard Data FLASH POINT (METHOD USED): T.O.C. [Flammable Limits: None To Boiling | LEL: 14% | UEL: 22% Auto-ignition Temperature: N.D. Extinguishing Media: Water Fog, Dry Chemical, CO2

Unusual Fire	And	Explosion Ha	zards:	Concentrated	vapors i	in poorly ventilated
area between	143	and 22% can	be igni	ted by spark	or high	intensity source.

Special Fire Fighting Procedures: Fire fighters should wear NIOSH-MSHA approved self-contained breathing apparatus for possible exposure to Hydrogen

Section	V-	Reactivity	Dota

Chloride or Phosgene.

Unstable : [Conditions to Avoid: Open flame, hot glowing Stability Stable : X | surfaces, electric arc. Never use near open

|flame; toxic gasses will occur.

MATERIAL SAFETY DATA SHEET 4-6000 BLANKET FIX Revision Date-4/9/02 Incompatibility (Materials to Avoid): Caustic soda, Caustic potash, strong oxidizing materials, Powdered aluminum or magnesium. Hazardous Decomposition Products: Phosgene, carbon monoxide, or hydrogen chloride gasses. Hazardous | May Occur: | Conditions to Avoid: Open flame, Polymerization | Will Not Occur: X | prolonged breathing of vapor. Section VI - Health Hazard Data (Acute and Chronic) Primary Route(s) of Entry: Inhalation, Skin, Ingestion. Oral Ingestion: Can cause gastrointestinal irritation, nausea, vomiting, diarrhea. Eye Contact: Can cause discomfort, pain and irritation. Skin Contact: Can cause irritation. Inhalation: Can cause headache, dizziness, nausea, tingling or numbness of the extremities, senses of fullness in the head, sense of warmth, stupor or dullness, lethargy and drunkenness. Can cause central nervous system damage. Effects of Overexposure: Nausea, dizziness, headache, lightheadness, rapid heartbeat. Eye irritation. May cause liver and kidney changes. Medical Conditions Generally | May aggravate respitory and kidney systems. Aggravated by Exposure | Nausea, headache, lightheadness, rapid heartbeat | or eye irritation. _____ Carcinogenicity: Has been shown to cause malignant tumors in certain laboratory animals. Other animal studies, as well as several human epidemiology studies, have indicated a negative response. Mutagenicity: Not known to be Mutagenic. Teratogenicity: Not known to be Teratogenic. Reproductive Toxicity: Not known to have reproductive toxicity. Additional Information: Exposure to Methylene Chloride increases the risk of developing cancer, adverse effects on the heart (including elevation of carboxyhemoglobin), central nervous system and liver. See additional detail in 29CFR1910.1052. FIRST AID PROCEDURES Ingestion: If conscious, give large quantities of water or milk. DO NOT induce vomiting. Call a physician immediately. DO NOT attempt to give anything by mouth to an unconscious person. Eye: Flush with water for 15 minutes. If irritation occurs, consult a physician. Skin: Wash with soap and water. If irritation occurs, consult a physician. Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. Section VII - Toxicology Information Inhalation Oral Dermal Ingredient LD50 (RATS) LD50 (RABBITS) LC50 5000 ppm/2 hrs 167 mg/kg N.D. Methylene Chloride

64,000 ppm/4hrs

N.D.

Methanol

Ammonia

9110 mg/kg

350 mg/kg

20 q/kg

N.D.

MATERIAL SAFETY DATA SHEET

4-5000 BLANKET FIX

Revision Date:4/9/02

Section VIII - Spill or Leak Procedure

Steps to be taken in case material is released or spilled: With proper respirator and skin/eye protection, recover spilled material on adsorbents. Place in closed container for proper disposal.

Disposal Method: In accordance with local, state, and federal regulations.

Section IX - Special Protection Information

Ventilation Local Exhaust: Yes Special: N.A. Mechanical (General): Yes Other: N.A.

Respiratory Protection: Fresh air ventilation. Approved organic respirator.

Protective Clothing: Polyethylene, Neoprene Gloves.

Eye Protection: Splash proof goggles.

Other Protective Equipment: Shower and eye wash fountain.

Section X - Special Precautions

Precautions to be taken in Handling and Storing:

Keep container closed when not in use. Store in cool place. Do not use in poorly ventilated or confined areas.

Other Precautions: Avoid prolonged or repeated breathing of vapors. Use only with adequate ventilation. Avoid contact with eyes and skin.

Section XI - Transportation Information

Hazard Class: 6.1 Label: Keep Away From Food DOT Proper Shipping Name: Dichloromethane Solution, 6.1, UN1593, III, Hazard Class: 6.1

Ltd. Qty.

Section XII - Regulatory Information

CERCLA/SUPERFUND, 40 CFR 117, 302: This product contains methylene chloride and methanol both Reportable Quantity (RQ) Substances.

SARA(TITLE III) - Sections 302, 311, 312, and 313:

Section 302 Extremely Hazardous Substances (40 CFR 355): This product does not contain any ingredients listed as an extremely hazardous substance.

Section 311 and 312 MSDS Submission and Inventory Reporting (40 CFR 370): This product contains materials that may require reporting under 311 and 312.

Section 313 Toxic Chemical Release Reporting (40 CFR 372): This product contains materials which may require reporting under 313.

TOXIC SUBSTANCES CONTROL ACT (TSCA): This product complies with rules and regulations of TSCA.

California Proposition 65: This product contains a chemical (Methylene Chloride) that is listed by the State of California under Proposition 65 as a carcinogen. _____

Section XIII - Addition Information

New Jersey and Pennsyvania Right-To-Know information: Methylene Chloride CAS #75-09-2, Methanol CAS #67-56-1, Ammonia CAS #7664-41-7, Hydroxypropyl Methyl Cellulose CAS #9004-65-3, Petroleum Wax CAS #8001-75-0

N.D. = No Data N.A. = Not Applicable

The information herein given in good faith but no warranty, express or implied, is made.

		gare se

		•
		**(