

Spartan Chemical Company, Inc. **Material Safety Data Sheet**

▼SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

Product Division:

L.O.E. STRIPPER

Janitorial

Product Number: 0061

Product/Technical 1-(800)-537-8990 Information:

Inc.

Spartan Chemical Company,

1110 Spartan Drive

Maumee OH 43537

Medical Emergency:1-(888)-314-6171 (24 hours) Chemical Leak/SpilCHEMTREC 1-(800) 424-9300 (24

Emergency:hours)

Shipping Description: Compounds, cleaning liquid, 8, NA 1760, III, (contains potassium ||hvdroxide)

NFPA Ratings:		HMIS Ratings:	
Health:	3 - Serious	11	*3 - Serious; Chronic Hazard
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

▼SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

				Table Z- 1 - A		
		CAS Registry		STEL mg/m	CELING	
Chemical Name(s)	% W	No.	TWA mg/m ³	3	mg/m ³	Carcinogen
*Diethylene glycol monobutyl ether	30	112-34-5	Not Established	Not Established	Not Established	No
Monoethanolamine	05-10	141-43-5	8	15	Not Established	No
Potassium hydroxide	01-05	1310-58-3	Not Established	Not Established	2 (NIOSH)	No
Ethoxylated alcohols phosphate ester	01-05	68130-47-2	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

▼SECTION III: PHYSICAL DATA

Boiling Point:	200 °F	Vapor Pressure:	Unknown
Vapor Density (AIR =	Unknown	Solubility in Water:	Complete
1):			
pH:	13.0-13.7	Specific Gravity	1.02
		(H ₂ O=1):	
		<u> </u>	
Evaporation Rate	<1	Percent Solid by	
(but.ace.=1):		Weight:	
Physical State:	Liquid		
Appearance & Odor: Clear light orange liquid, mild odor			

▼SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 200°F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	N/A		
Special Fire Fighting Procedures:			
Unusual Fire & Explosive Hazards:			

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value: Not Established	Primary Routes of Inhalation, Skin Contact, Entry: Eyes & Oral
symptoms of pain, redress permanent corneal dan HARMFUL TO SKIN: 0 symptoms of pain, redress may not cause immedia dermatitis. Harmful if a HARMFUL OR FATAL chemical burns to esop symptoms of pain, nausproduct into the lungs resulting in lung injury. HARMFUL IF INHALE cause irritation or dama nasal discomfort and discom	Causes severe skin damage or irritation with ness and chemical burns. Harmful contact ate pain. Repeated contact may cause a absorbed through the skin. IF SWALLOWED: Causes damage or chagus and mucous membranes with sea, vomiting and diarrhea. Aspiration of may occur during ingestion or vomiting, D: Breathing product vapor or mist may age of the respiratory tract, with symptoms of ischarge with chest pain and coughing. amine which may cause liver and kidney

	Do not get in eyes, on skin or clothing. Avoid breathing product vapor or mist. Do not swallow. Use with adequate ventilation. Wash thoroughly after handling.
Conditions Aggravated by Use:	Preexisting skin; eye and respiratory disorders.

Emergency & First Aid Procedures:

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Call a poison control center or doctor for treatment advice.
Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a poison control center or doctor for treatment advice. wash contaminated clothing before reuse. Destroy contaminated shoes.
Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person.
In case of respiratory irritation or dizziness; move person to fresh air. If not breathing; give artificial respiration. If breathing is difficult; give oxygen. Call a poison control center or doctor for treatment advice.

▼SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Strong acids and Materials: oxidizing agents
Hazardous None known Decomposition Products:	Hazardous Will Not Occur Polymerization:

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Contain large spills and transfer the material to appropriate containers for
	reclamation or disposal. Absorb remaining material or small spills with an
Spilled:	inert material and dispose in accordance with federal, state and local
	regulations.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

	If exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of an appropriate NIOSH approved respirator is recommended.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
II	Solvent/alkali resistant gloves such as neoprene, nitrile or natural rubber/latex are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Equipment:	Solvent /alkali resistant boots are recommended. Use of impervious apron, face shield and other protective equipment should be considered in order to prevent or minimize contact with this product. Eye wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132-138.

SECTION IX: SPECIAL PRECAUTIONS

Storing:	Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not mix with other chemicals. Keep out of reach of children.
	California Proposition 65: WARNING: This product contains the following chemicals known to the State of California to cause cancer or birth defects or other reproductive harm: Ethylene oxide; CAS No. 75-21-8 (Trace); Dioxane; CAS No. 123-91-1 (Trace); Acetaldehyde; CAS No. 75-07-0 (Trace)

© SCC 04/04/2003

Name:

Ronald T. Cook

Title:

Manager, Regulatory

Affairs

L.O.E. STRIPPER

Effective

04/04/2003

Supercedes: 03/01/2002

Date:

Ref: 29 CFR 1910.1200

Changes:

Update Section II

(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.

÷
(
,