

POLYONE CORPORATION

*PolyOne*

## MATERIAL SAFETY DATA SHEET

**POLY RF463XA**2  
16 foam

Version Number 1.0

Revision Date 09/23/2002

Page 1 of 6

Print Date 4/29/2003

## 1. PRODUCT AND COMPANY IDENTIFICATION

**POLYONE CORPORATION**

2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY : Product Stewardship, (314) 771-1800  
TELEPHONE  
Emergency telephone : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure**  
number : **or accident).**

Product name : POLY RF463XA  
Product code : FO000066781DR  
Chemical Name : Mixture  
CAS-No. : Mixture  
Product Use : Industrial Applications

## 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## 3. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions

**POTENTIAL HEALTH EFFECTS****Routes of Exposure:** Eyes, Skin contact, Inhalation, Ingestion**Acute exposure**

Inhalation : Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.  
Ingestion : May be harmful if swallowed.  
Eyes : Mild eye irritation  
Skin : Prolonged or repeated skin contact can cause de-fatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Chronic exposure** : Refer to Section 11 for Toxicological Information.**Medical Conditions** : None known.**Aggravated by Exposure:**

POLYONE CORPORATION

*PolyOne*

## MATERIAL SAFETY DATA SHEET

**POLY RF463XA**

Version Number 1.0

Revision Date 09/23/2002

Page 2 of 6

Print Date 4/29/2003

**4. FIRST AID MEASURES**

- Inhalation : Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
- Ingestion : Drink 1 or 2 glasses of water. Induce vomiting immediately and call a physician. Never give anything by mouth to an unconscious person.
- Eyes : Immediately flush eye(s) with plenty of water. Seek medical attention if necessary.
- Skin : Wash off immediately with soap and plenty of water. If skin irritation persists seek medical attention.

**5. FIRE-FIGHTING MEASURES**

- Flash point : Greater than 200 °F
- Flammable Limits
- Upper explosion limit : No data available.
  - Lower explosion limit : No data available.
- Autoignition temperature : No data available.
- Suitable extinguishing media : carbon dioxide (CO<sub>2</sub>), dry chemical, Water spray, alcohol-resistant foam.
- Special Fire Fighting Procedures : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
- Unusual Fire/Explosion Hazards : None

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Material can create slippery conditions.
- Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.

**7. HANDLING AND STORAGE**

## POLYONE CORPORATION

*PolyOne*

## MATERIAL SAFETY DATA SHEET

**POLY RF463XA**Version Number 1.0  
Revision Date 09/23/2002Page 3 of 6  
Print Date 4/29/2003

- |          |  |
|----------|--|
| Handling | : Heat only in areas with appropriate exhaust ventilation.   |
| Storage  | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. Product is hygroscopic. Protect from moisture. Keep drums tightly closed to prevent contamination. |

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

- |                                |  |
|--------------------------------|--|
| Respiratory protection         | : Under normal handling conditions a respirator may not be required.   |
| Eye/Face Protection            | : Safety glasses with side-shields.  |
| Hand protection                | : Protective gloves.   |
| Skin and body protection       | : Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection. |
| Additional Protective Measures | : Safety shoes.  |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.   |
| Engineering measures           | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.   |

Exposure limit(s)

There are no known hazardous components above regulatory thresholds in this product.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- |                     |                      |                  |                       |
|---------------------|----------------------|------------------|-----------------------|
| Form                | : Liquid             | Evaporation rate | : Negligible          |
| Appearance          | : Viscous            | Specific Gravity | : > 1                 |
| Color               | : NO PIGMENT         | Bulk density     | : Not applicable      |
| Odor                | : mild               | Vapor pressure   | : <0.04 mm Hg @ 20 °C |
| Melting point/range | : No data available. | Vapor density    | : Heavier than air.   |
| Boiling Point:      | : Not established    | pH               | : No data available.  |
| Water solubility    | : slightly soluble   |                  |                       |

**10. STABILITY AND REACTIVITY**

- |                          |  |
|--------------------------|--|
| Stability                | : Stable.  |
| Hazardous Polymerization | : Will not occur.  |
| Conditions to avoid      | : Heating the product above 212 °F (100 °C) in the presence of air may |

POLYONE CORPORATION

*PolyOne*

## MATERIAL SAFETY DATA SHEET

**POLY RF463XA**

Version Number 1.0

Revision Date 09/23/2002

Page 4 of 6

Print Date 4/29/2003

result in the formation of aldehydes. Product reacts exothermically with isocyanates.

Incompatible Materials : strong acids and strong bases

Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>), carbon monoxide (CO), oxides of nitrogen (NO<sub>x</sub>), other hazardous materials, and smoke are all possible.

**11. TOXICOLOGICAL INFORMATION**

There are no known hazardous components above regulatory thresholds in this product.

**12. ECOLOGICAL INFORMATION**

Persistence and degradability : No data available.

Environmental Toxicity : No data available.

Bioaccumulation Potential : Does not bioaccumulate

Additional advice : No data available.

**13. DISPOSAL CONSIDERATIONS**

Product : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

**14. TRANSPORT INFORMATION**

U.S. DOT Classification : Refer to specific regulation.

ICAO/IATA : Refer to specific regulation.

IMO / IMDG : Refer to specific regulation.

**15. REGULATORY INFORMATION**

US Regulations:

OSHA Status : There are no known hazardous components above regulatory thresholds in this product.

POLYONE CORPORATION

*PolyOne*

## MATERIAL SAFETY DATA SHEET

**POLYRF463XA**

Version Number 1.0

Page 5 of 6

Revision Date 09/23/2002

Print Date 4/29/2003

TSCA Status : All components of this product are listed on the TSCA inventory or are exempt.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition 65 : This product does not contain a substance listed by California Prop 65.

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
1,1-DICHLORO-1-FLUOROETHANE (HCFC-141B)	1717-00-6	22.55

Canadian Regulations:

WHMIS Classification : Not controlled.

DSL : Listed.

National Inventories:

Australia AJCS : Listed.

China IECS : Listed.

Europe EINECS : Not determined.

Japan ENCS : Not determined.

Korea KECI : Listed.

Philippines PICCS : Listed.

**16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

POLYONE CORPORATION

*PolyOne*

MATERIAL SAFETY DATA SHEET

**POLY RF463XA**

Version Number 1.0

Revision Date 09/23/2002

Page 6 of 6

Print Date 4/29/2003