

Betzinger / KCTC

REC'D MAY 08 2005

MATERIAL SAFETY DATA SHEET

***** Section I - Identification *****

Manufacturer AGS Company
2651 Hoyt St.
Muskegon Hts., MI 49444
 Phone: 800-253-0403
231-733-2101
 FAX: 231-733-1784
 Transportation Emergency - CHEM-TEL: 800-255-3924

Trade Name TAP-EASE Container/Size Stick Cat. No. TA-2
 Common Name TAP-EASE

NFPA - Health 0 Flammability 1 Reactivity 0 Specific Hazard _____
 HMIS - Health 0 Flammability 1 Reactivity 0 Protective Equipment A

***** Section II - Hazardous Ingredients *****

Hazardous Ingredient	CAS No.	Wgt. %	TLV
1. <u>Paraffin Wax</u>	<u>64742-51-4</u>	<u>30-45%</u>	<u>2 cu. m.</u>
2. <u>Petroleum Oil*</u>	<u>Not Assigned</u>	<u>30-45%</u>	<u>5 cu. m.</u>
3. <u>Naphthenic acid, zinc salt</u>	<u>12001-85-3</u>	<u>1-5%</u>	<u>Not Assigned</u>
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____

NOTE *Petroleum oil is severely hydrotreated or solvent refined. It does not require labeling as a carcinogen.

***** Section III - Physical Data *****

pH - Supplied Not Determined Boiling Point Not Determined
 pH - Diluted Not Determined % Volatiles Nil
 Water Solubility Insoluble Vapor Pressure Negligible
 Specific Gravity (Water=1) 0.75 Vapor Density N/A
 Melting Point 162°F. ASTM D127 Evaporation Rate N/A

Appearance Tan waxy solid with bland petroleum odor.

Original Issue Date 04/05/90
Revision No.2 Date 05/30/00

***** Section IV - Fire & Explosion Data *****

Flash Pt. 380°F. Method C.D.C. Auto Ignition Temp. Not Determined

Flammable Limits In Air - LEL Not Determined UEL Not Determined

Extinguishing Media Dry chemical, foam, carbon dioxide or water fog.

Special Procedures Wear self-contained breathing apparatus. Use Water fog to minimize vapors in air.

Unusual Hazards None

***** Section V - Reactivity Data *****

Unstable and/or Auto Reactive Stable

Incompatible Materials Strong oxidizers.

Hazardous Decomposition Products Oxides of carbon and zinc.

***** Section VI - Emergency First Aid *****

Eyes Flush with water for at least 15 minutes. Consult a physician.

Skin Wash with soap and water. Get medical attention if adverse effects arise.

Ingestion Do not induce vomiting. Consult a physician.

Inhalation Remove to fresh air. Administer oxygen or artificial respiration as needed.

***** Section VII - Health Effects *****

Eyes May cause irritation.

Skin In molten state may cause burns.

Ingestion Not known.

Inhalation Aspiration or inhalation of fumes or mist may cause respiratory problems.

Other Effects Not known.

Original Issue Date 04/05/90
Revision No.2 Date 05/30/00

***** Section VIII - Ventilation and Protective Measures *****

Ventilation Requirement Local exhaust when using product in molten state.

Eyes Yes Gloves Yes Clothing No Respiratory Yes

Other Eye wash in work area.

***** Section IX - Storage and Handling Procedures *****

Conditions to Avoid Avoid excess heat and ignition sources.
Store in cool area.

***** Section X - Spill Procedures and Waste Disposal *****

Spill Procedure Dike area to contain product spill. Allow to cool, scrape material up and place in container for disposal.

Disposal Method Removal by an approved, licensed waste hauler.

EPA Waste I.D. NO. Not Req.

Approved By Chuck Hiddema
V.F. Technical Operations

Original Issue Date 04/05/90
Revision No.2 Date 05/30/00

The Information Herein Is Given In Good Faith,
No Warranty, Expressed Or Implied, Is Made.