GraphLine Inc. °

5701 N.W. 94th Ave. Tamarac. Fl. 33321 800-998-3200

MATERIAL SAFETY DATA SHEET

IN CASE OF TRANSPORTATION EMERGENCY (Spill, Leak, Fire, Exposure, Accident)

Call CHEMTREC 1-800-424-9300 (24 Hour)

SECTION 1: IDENTIFICATION

Name: GRAPHLINE RAPID ACCESS FIXER

Revision 05/01/1995

Product Number

3140318202

Size 4 x 5 Quarts

Formula Aqueous Mixture

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

C.A.S.#	INGREDIENTS	<u> %</u>
176-29-54	AMMONIUM THIOCYANATE	10- 15
64-19-7	ACETIC ACID	1- 5
7732-18-5	WATER	60- 65
7783-18-8	AMMONIUM THIOSULFATE	15- 20

EXPOSURE LIMITS	OSHA		A	ACGIH		CANADA	
	<u>TWA</u>	STEL.	<u>TWA</u>	STEL.	<u>TWA</u>	STEL.	
AMMONIUM THIOCYANATE	None	None	None	None	None	None	
ACETIC ACID	25 mg/m3	None	25 mg/m3	37mg/m3	26 mg/m3	39 mg/m3	
WATER	None	None	None	None	None	None	
AMMONIUM THIOSULFATE	None	None	None	None	None	None	

Source of Exposure Limit Data:

OSHA: Occupational Safety and Health Administration

ACGIH: American Conference of Governmental Industrial Hygienists CANADA: Province of Alberta's Occupational and Health and Safety Act.

ADDITIONAL EXPOSURE INFORMATION

	SH	SKIN DESIGNATION *			ARCINOGE	<u>NS</u>			
CAS. NUMBER	<u>OSHA</u>	ACGIH	CANADA	<u>IARC</u>	NTP	<u>OSHA</u>	PRIMARY HAZARD	IDLH (ppm)	
176-29-54	No	No	No	No	No	Na	Not classified	None	
64-19-7	No	No	No	No	No	No	Sensory irritation	1000	
7732-18-5	No	No	No	No	No	No	Not classified	None	
7783-18-8	No	No	No	No	No	No	Not classified	None	

^{*} For substances designated as a 'Skin' hazard, protective measures are recommended to prevent or reduce skin absorbtion. These mea may include the use of gloves, aprons, goggles or other equipment, as well as engineering controls or work practices.

SECTION 3: HAZARDS IDENTIFICATION

EYES CONTACT:

May cause irritation or damage to tissue.

SKIN CONTACT:

May cause irritation.

INHALATION:

May cause irritation to nasal mucous membranes and respiratory tract.

INGESTION:

GraphLine

Product Number 3140318202

REVISION: 05/01/19

Page 2 of 3

May cause irritation or corrosion to digestive tract.

H.M.I.S. CODES:

HEALTH:

FIRE:

REACTIVITY:

PROTECTION:

SECTION 4: FIRST AID MEASURES

EYE CONTACT:

Immediately flush with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Contact physician immediately.(preferably an opthalmologist)

SKIN CONTACT:

Rinse with copious amounts of water and/or wash with soap and water for at least 15 minutes. If irritation occurs, contact physician.

INHALATION:

Remove victim to fresh air, if not breathing, have certified person administer first aid /CPR. Contact physician immediately.

INGESTION:

Administer 2-4 glasses milk or water. Contact physician or poison control center immediately.

SECTION 5: FIRE FIGHTING MEASURES

Flash point (F):

None

FLAMMABILITY LEL-

UEL-

N/A

N/A

Extinguishing media:

Any applicable to primary cause of fire.

Special fire fighting procedures:

May produce cyanide and So2 if exposed to intense heat. Wear NIOSH approved self contained breathing apparatus when entering building.

1

Unusual fire and explosion hazards:

None

NATIONAL FIRE PROTECTION ASSOC. CODES

HEALTH: 3 FIRE:

REACTIVITY:

SPECIAL: D

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL RESPONSE:

Dike spill and soak up with sand or a commercially available acid spill kit, sweep up absorbant and place in a hazardous waste container.

SECTION 7: HANDLING AND STORAGE

Store away from strong oxidizers. Store in well ventilated area. Keep container tightly closed. Remove and wash contaminated clothing immediately. Do not store near heat. OTHER PRECAUTIONS: Do not store food, drink or tobacco in area where they may become contaminated with this material.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION (Special Type) N/A. VENTILATION: Local Exhaust recommended. SPECIAL - N/A. MECHANICAL (General) N/A. OTHER: N/A. PROTECTIVE GLOVES: Latex, rubber or Neoprene waterproof gloves. EYE PROTECTION: Chemical safety goggles/splash shield. OTHER PROTECTIVE EQUIPMENT: Rubber or plastic apron.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

GraphLine

Product Number 3140318202

REVISION: 05/01/19

Volatile Organic Compounds:

Page 3 of 3

None

Boiling point (C):

100

Melting point: N/A

Percent volatile by volume:

60-65

Evaporation rate: <1

(N-Butyl Acetate=1)

pH: 4.7

Vapor density: Solubility in water:

Vapor pressure:

COMPLETE

Specific gravity (water = 1) 1.16

Appearance: Colorless to tan,

Odor: Slight sulfur dioxide odor

SECTION 10: STABILITY AND REACTIVITY

Stability Stable

Hazardous polymerization:

Will not occur

N/D

N/A*

Incompatibility (materials to avoid):

Strong oxidizers, strong acids

Hazardous decomposition products:

Cyanide, Sulfur Dioxide

SECTION 11: DISPOSAL CONSIDERATIONS

Remove free liquid and dispose of in accordance with Federal, State & local regulations.

SECTION 12: TRANSPORTATION INFORMATION

SHIPPING NAME: NOT REGULATED- CHEMICALS NOT

UNID-#: N/A

PACKING GROUP: N/A

MAJOR CLASS: N/A

PRIMARY LABEL: N/A

MINOR CLASS: N/A

SECONDARY LABEL: N/A

REMARKS

SECTION 13: REGULATORY INFORMATION

CAS. NUMBER	<u>CERCLA</u>	SARA-EHS	SARA-313	<u>RCRA</u>	CAL-PROP 65	<u>N.J.</u>	FLA.
176-29-54	No	No	No	No	No	No	No
64-19-7	Yes	No	No	No	No	No	Yes
7732-18-5	No	No	No	No	No	No	No
7783-18-8	No	No	No	No	No	No	No

^{*} Specific CAS Number references from these regulatory tables:

CERCLA: 40 CFR, Table 302.4

CAL-PROP 65: California Proposition 65, Developmental and Reproductive

SARA-EHS: 40 CFR. 355 Appendices A B SARA-313: 40 CFR. section 372.65

New Jersey Right to Know

Florida Right to Know

RCRA: 40 CFR, section 261.3

SECTION 14: OTHER INFORMATION

Comments: None

The data in this Material Safety Data form relates to the specific material designated herein and to the standard use of same in combination other materials or processes. The hazards covered are beleived to be those most likely to occur in the reasonable, contemplated, or ordinary these chemicals. No warranty is made or implied in respect of other hazards which may occur as a result of unreasonable, abnormal, or unus usage, or non-standard application of these materials. The information accumulated herein is beleived to be accurate, but GraphLine Inc. expr denies any warranty to such effect. Customers or recipients are advised to confirm, in advance that the information is current, applicable and to their circumstances. This information is furnished as a service only.

^{*} Reference: CFR 49, Table 172.102 (highway)

	1 hamanit
	(