

M A T E R I A L S A F E T Y D A T A S H E E T

Self Leveling Filler

Page: 1

PRODUCT NAME: Self Leveling Filler
PRODUCT CODE: SLF

Leamy D. / KOT

HMIS CODES: H F R P
2 0 0 E
REC'D JUN 16 2005

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: Polymerica Inc.
ADDRESS : 609 Fertilla Street
Carrollton, GA 30117

EMERGENCY PHONE : 1-800-535-5053 DATE PRINTED : 17/10/2001
INFORMATION PHONE : 770-830-7434 NAME OF PREPARER : MIKE LOWE

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE MM HG @ TEMP		WEIGHT PERCENT
Quartz	14808-60-7	10	1730 C	40% TO 50%
Quartz: ACGIH TLV 0.1 mg/m3				
Quartz	14808-60-7	10	1730 C	30% TO 40%
Quartz: ACGIH TLV 0.1 mg/m3				
Silicon Dioxide	14808-60-7	10	1732 C	10% TO 20%
Quartz: ACGIH 0.1 mg/m3				

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING RANGE: N/D SPECIFIC GRAVITY (H2O=1): 2.65
VAPOR DENSITY: N/A EVAPORATION RATE: N/A
COATING V.O.C.: . lb/gl MATERIAL V.O.C.: . lb/gl
SOLUBILITY IN WATER: NIL.
APPEARANCE AND ODOR: Grainy solid. Odorless.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/D METHOD USED: N/D
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/D UPPER: N/D

EXTINGUISHING MEDIA: Wear positive pressure self contained breathing apparatus because of microcrystalline dust exposure.

SPECIAL FIREFIGHTING PROCEDURES

UNUSUAL FIRE AND EXPLOSION HAZARDS

SECTION V - REACTIVITY DATA

STABILITY: Stable.
CONDITIONS TO AVOID
None

INCOMPATIBILITY (MATERIALS TO AVOID)
None known.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

This product does not decompose.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Non-toxic, but excessive exposure can cause delayed lung damage (silicosis).

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause irritation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Not expected to cause irritation with normal use.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Not likely to happen in course of normal use.

HEALTH HAZARDS (ACUTE AND CHRONIC)

CARCINOGENICITY: NTP CARCINOGEN: IARC MONOGRAPHS: Limited evidence OSHA REG

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Dust allergies, respiratory diseases.

EMERGENCY AND FIRST AID PROCEDURES

Eyes: Flush with water. Get medical attention if irritation persists.

Skin: Wash with soap and water.

Ingestion: Drink large amount of milk or water.

Inhalation: Remove to fresh air.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Sweep up and dispose of in sanitary landfill.

WASTE DISPOSAL METHOD

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Grinding or abrasive action to cured product containing LSF/SLF can generate microcrystalline dust. Wear a dust mask.

OTHER PRECAUTIONS

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

Avoid breathing dust. Use dust mask if TLV is exceeded.

VENTILATION

Mechanical ventilation is required if TLV is expected to be exceeded in confined areas.

PROTECTIVE GLOVES

None required.

M A T E R I A L S A F E T Y D A T A S H E E T

Self Leveling Filler

EYE PROTECTION

OSHA approved safety glasses or goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Wear appropriate clothing to minimize skin contact and abrasion. Wear safety glasses or goggles. Wear a dust mask while handling.

WORK/HYGIENIC PRACTICES

Avoid breathing vapor mist or spray. Provide eye wash fountain and safety shower. Wash hands thoroughly after use, before eating or smoking.

===== SECTION IX - DISCLAIMER =====

The product information contained herein is believed to be accurate as of the date of the Material Safety Data Sheet, and is provided without warranty, expressed or implied, as to the results of use of this information or the product to which it relates. Recipient assumes all responsibility for the use of this information and the use (alone or in combination with any other product), storage or disposal of the product, including any resultant personal injury or property damage.