

Material Safety Data Sheet

WHMIS (Pictogram	ms) WHMIS (Classification)	HCS_
	E	HCS Class: Corrosive liquid.
Section 1. Chem	ical Product and Company Identification	
Product Name/ Trade name	Extreme	Code 184
Synonym	High Power/High Speed No Rinse Floor Stripper	CAS# Not applicable.
Chemical Family	Not available.	Validation Date 8/11/2003
Chemical Formula	Not applicable.	Print Date 8/22/2003
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency Chemirec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.	
DSL	DSL: All components listed unless noted elsewhere on this MSDS	Protective Clothing

Information on	Ingredients			
CAS#	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀	
7732-18-5 111-76-2	55-60 <21	Not available, TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States]	Not available. ORAL (LD50): Acute: 1746 mg/kg [Rat].	
100-51-6 141-43-5	<10 5-10	TWA: 3 STEL: 6 (ppm) TWA: 3 (ppm) TWA: 6 (ppm) from OSHA (PEL) [United States]	Not available. Not available.	
1300-72-7 100-52-7 9016-45-9 N/A 64-02-8	<5 <1 0-5 0-5 <1	Not available. Not available. Not available. Not available. Not available. Not available.	Not available. Not available. Not available. Not available. ORAL (LD50): Acute: 3030 mg/kg [Rat]. Not available.	
	CAS# 7732-18-5 111-76-2 100-51-6 141-43-5 1300-72-7 100-52-7 9016-45-9 N/A	Weight 7732-18-5 111-76-2 55-60 <21 100-51-6 141-43-5 1300-72-7 100-52-7 9016-45-9 N/A 64-02-8 Weight 55-60 <10 55-60 <10 55-60 <10 55-60 <10 55-60 <10 55-60 <10 100-51-6 55-10 1300-72-7 100-52-7 1	CAS # % by Weight Exposure Limits 7732-18-5 111-76-2 55-60 S5-60 TWA: 20 (ppm) from ACGIH (TLV) [United States] TWA: 50 (ppm) from OSHA (PEL) [United States] TWA: 3 STEL: 6 (ppm) TWA: 3 STEL: 6 (ppm) TWA: 3 (ppm) TWA: 6 (ppm) from OSHA (PEL) [United States] STEL: 6 (ppm) TWA: 6 (ppm) from OSHA (PEL) [United States] STEL: 6 (ppm) Not available.	

Section 3. Hazards Identification Potential Acute Health Effects Corrosive to eyes and skin. Harmful if swallowed. Harmful if inhaled. Irritating to mouth, throat and stomach. Potential Chronic Health Asthma and related respiratory illness may be aggravated by exposure. Repeated or prolonged exposure to the gas can produce lung damage. Repeated or prolonged exposure to the substance can

produce kidney damage. Repeated or prolonged exposure to the substance can produce liver damage. Repeated or prolonged exposure to the substance can produce nervous system damage. However, in light of good industrial hygiene, exposure to any chemical should be kept to a minimum.

Carcinogenic Effects Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First	t Aid Measures
Eye Contact	Immediately Hold eye open and rinse slowly and thoroughly with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
Skin Contact	Remove contaminated clothing and shoes. Rinse skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person

Secuon 3. Fire Fign	ting Measures		
Products of Combustion	Not available.	•	
Fire Fighting Media and Instructions	N/A		·
Special Remarks on Fire Hazards	N/A		•
Special Remarks on Explosion Hazards	N/A		

Section 6. Accidental Release Measures					
Small Spill and Leak	Absorb with an inert material and place in an appropriate waste disposal container.				
Large Spill and Leak	Prevent entry into sewers; basements or confined areas. Neutralize caustic ingredients with vinegar or acetic acid or use a basic spill kit.				
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.				

Section 7. Hand	lling and Storage	
Precautions	After handling, always wash hands thoroughly with soap and water. Avoid breathing vapors mists. Do not ingest. Good general ventilation should be sufficient to control airborne levels.	or spray
Incompatibility	Strong acids or oxidizers.	
Storage	Keep out of the reach of children. Not for use or storage in or around the home.	

Engineering Controls	Good general ventilation should it	e sufficient to co	ntrol airborne level	is.	
Personal Protection	es Splash goggles.				
Bo	dy Wear overalls or long sleeved shi	rt and long trous	ers, nitrile rubber o	r neoprene gloves, rubbe	r boots.
Respirato	y Wear appropriate respirator wher	ventilation is ina	adequate.		
Hand	s Rubber gloves.				
Protective Clothing (Pictograms)					

Exposure Limits

2-Butoxyethanol TWA: 25 (ppm) TWA: 50 (ppm) from OSHA (PEL)

Monoethanolamine TWA: 3 (ppm) TWA: 6 (ppm) from OSHA (PEL) STEL: 6 (ppm)

Consult local authorities for acceptable exposure limits.

· · · · · · · · · · · · · · · · · · ·	and Chemical Properties			
Physical State and Appearance	Liquid.	Odor	Aromatic. Ethereal.	
Molecular Weight	Not applicable.	Taste	Not available.	
Hq	11.8 to 12.8 [Basic.]	Color	Pale Green.	
Boiling/Condensation Point	214°F initial			
Melting/Freezing Point	Not available.			
Critical Temperature	Not available.		•	
Instability Temperature	Not available.			
Specific Gravity	0.993 (Water = 1)			
Vapor Pressure	20mm Hg @ 68°F			
Vapor Density	>1 (Air = 1)			
Volatility	95			
voc	23 (%)			
Evaporation Rate	<1 compared to Butyl acetate.	•		V3.1
Dispersion Properties	See solubility in water.		and the latest and the second	
Solubility	Easily soluble in cold water.			
The Product is:	Non-flammable,		•	. •
Auto-ignition Temperature	Not available.			
Flash Points	Not available.			
Flammable Limits	Not available.	,		:
Fire Hazards in Presence of Various Substances	Non-flammable.			-
Explosion Hazards in Presence of Various Substances	Not applicable			

Section 10. Stability and Reactivity Data				
Stability	The product is stable.			
Incompatibility with Various Substances	Strong acids or oxidizers.			
Hazardous Decomposition Products	Will not occur.	: :		

Section 11. Toxicolog	gical Information
Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 1746 mg/kg [Rat]. (2-Butoxyethanol). Acute toxicity of the gas (LC50): 926 ppm 4 hour(s) [Mouse]. (2-Butoxyethanol).
Acute Effects on Humans	
Eyes	Severe eye irritant. Liquid and mist may damage the eyes causing corneal injury.
Skin	Corrosive. Skin contact may produce burns.
Inhalation	Vapors may be irritating to the mucous membranes in the nose, throat, and lungs. High concentrations may cause headache, dizziness, and nausea.
Ingestion	Imitating to the mouth, throat, and gastrointestinal system. May cause dizziness, headache, nausea, vomiting, and diarrhea. Harmful if swallowed.
	Asthma and related respiratory illness may be aggravated by exposure. Repeated or prolonged exposure to the gas can produce lung damage. Repeated or prolonged exposure to the substance can produce kidney damage. Repeated or prolonged exposure to the substance can produce liver damage. Repeated or prolonged exposure to the substance can produce nervous system damage. However, in light of good industrial hygiene, exposure to any chemical should be kept to a minimum.
	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecologic	al Information					
Ecotoxicity	Not available.			***		
BOD5 and COD	Not available.		· · · · · · · · · · · · · · · · · · ·	•		
Products of Biodegradation	Possibly hazardous short term degradat products may arise.	ion products ar	re not likely.	However, lor	ng term de	gradation
Toxicity of the Products of Biodegradation	Not available.			· · · · · · · · · · · · · · · · · · ·	1.	
Special Remarks on the Products of Biodegradation	No additional remark.			· · · · · · · · · · · · · · · · · · ·		

Section 13, Dispo	osal Considerations			
Waste Information	Waste must be disposed of in accordance regulations.	with federal, state	and local environmental cont	rol
Waste Stream	Not available.			

DOT (U.S.A) (Pictograms) TDG Classification 8 PIN UN, Proper Shipping Name, PG Maritime Transportation Not available. Special Provisions for Transport

WHMIS (Classification)	E	
Regulatory Lists	No products were found.	
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).	
Other Classifications	HCS (U.S.A.)	HCS Class: Corrosive liquid.
	USA Regulatory Lists	California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Ethylene Oxide < 1 ppm California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning unde the statute: Ethylene Oxide < 1ppm Massachusetts RTK: Ethylene Oxide
		SARA 311/312 MSDS distribution - chemical inventory - hazard identification: 2-Butoxyethanol: immediate health hazard, delayed health hazard SARA 313 toxic chemical notification and release reporting: 2-Butoxyethanol
	DSD (EEC)	R22- Harmful if swallowed. R36/38- Irritating to eyes and skin.
•	International Regulations Lists	No products were found.
Hazardous Material Information System (U.S.A.)	Peminability Physical Hazard	* 3 National Fire Protection Association (U.S.A.) Health 3 National Fire I Health 3 National Fire Flammability Instability

Section 16. Other Information Validated by CRushton on 8/11/2003. Verified by CRushton. Printed 8/22/2003. Information Contact Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 Notice to Reader To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 8/11/2003. Extreme Page: 6/6

Continued on Next Page